Figure 1:
PRIOR ART
Ethernet Packet





Figure 2:
PRIOR ART
ATM Cell

Figure 3a:
GX Packet Format



Figure 3b:
GX Header

Figure 4:
GX Data Stream



Figure 5:
GX Packet



Figure 6:
GX–Ethernet



Figure 7: GX–Native IP

Figure 8: GX–ATM

Figure 9: GX–FDDI

Figure 10:
GX–Token Ring





Figure 11:
GX Packet Format
(n=8)

Figure 12:
GX Packet Format
(n=4)



Figure 13:
GX Packet Format
(n=2)



Figure 14:

GX Packet Format (n=1)



Figure 15:
Transmit Processor
(n=8)



Figure 16:
Transmit Processor (n=4)



Figure 17a:
8B/10B Encoder



Figure 17b:
8B/10B Encoder

	8B Input	Ctrl Input	10B Output
440	START	CTRL	Start
442	8B_Data	DATA	10B_Data
444	END	CTRL	End
446	IDLE-EVEN	CTRL	Even_Idle
448	IDLE-ODD	CTRL	Odd_Idle
449	IDLE-EVEN_BUSY	CTRL	Even_Idle_Busy
450	IDLE-ODD_BUSY	CTRL	Odd_Idle_Busy

Figure 18:
Receive Processor (n=8)



Figure 19:
Receive Processor (n=4)



Figure 20a:
10B/8B Decoder



Figure 20b:
10B/8B Decoder

	10B Input	8B Output	Ctrl Output
470	Start	START	CTRL
472	10B_Data	8B_Data	DATA
474	End	END	CTRL
476	Even_Idle	IDLE-EVEN	CTRL
478	Odd_Idle	IDLE-ODD	CTRL
480	Even_Idle_Busy	IDLE-EVEN-BUSY	CTRL
482	Odd_Idle_Busy	IDLE-ODD-BUSY	CTRL